


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	ADJUSTED -7, -9, & -11 TO FIT PELICAN CASE BETTER, CH'D CUT OUT FOR -13 TO A RECESS PER RW.	3/24/11	RJC	




ASSY QTY	ASSY QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	Pg.
			-1	3	JACKSCREW		RBW6005G00531-3G	1
			-3	3	JACKSCREW		RBW6005G00631-3G	1
		B/O	-5	1	CASE	PLASTIC	4-7/8 x 10-5/8 x 9-11/16 PELICAN APP-1200-E	N/S
		B/O	-7	1	TOP SHELF FOAM	Y20 BLACK	1 x 7.29 x 9.46 I.R. SPECIALTY FOAM	2
		B/O	-9	1	BOTTOM SHELF FOAM	Y20 BLACK	1.93 x 7.15 x 9.39 I.R. SPECIALTY FOAM	3
		B/O	-11	1	LID FOAM	C200 FLAT, BLACK	1.19 x 7.19 x 9.37 I.R. SPECIALTY FOAM	4
		B/O	-13	1	INSIDE PLACARD	PLASTIC	1/16 x 4-1/2 x 5-1/2 MCKENZIE LASER	5
ASSY -9	ASSY -3							

RED BARN MACHINE	
TITLE JACKSCREW SET	
DWG NO. RBW6005G00431-3G	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
DECIMALS .XXX ± .005 FRACTIONS ± 1/32	
.XX ± .01 ANGLES ± 5°	
.X ± .1	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 3-17-10
SHEET 1 of 5	


DRAWN BY: CLOUGH
APPROVED <i>D Weil</i>
HEAT TREAT
FINISH SPEC
USED ON MODEL
AW139

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	ADJUSTED -7, -9, & -11 TO FIT PELICAN CASE BETTER, CH'D CUT OUT FOR -13 TO A RECESS PER RW.	3/24/11	RJC	




 <span>RED BARN MACHINE</span>			
TITLE <span>JACKSCREW SET</span>			
DWG NO. <span>RBW6005G00431-3G-7</span>			REV <span>1</span>
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°		DRAWN BY: <span>CLOUGH</span> APPROVED <i>D Weid</i> HEAT TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL <span>AW139</span>	
SCALE <span>NTS</span>	DATE <span>3-17-10</span>	SHEET <span>2 of 5</span>	

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	ADJUSTED -7, -9, & -11 TO FIT PELICAN CASE BETTER, CH'D CUT OUT FOR -13 TO A RECESS PER RW.	3/24/11	RJC	



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	ADJUSTED -.7, -.9, & -.11 TO FIT PELICAN CASE BETTER, CH'D CUT OUT FOR -.13 TO A RECESS PER RW.	3/24/11	RJC	




Ⓢ-11

LID FOAM

RED BARN MACHINE	
TITLE JACKSCREW SET	
DWG NO. RBW6005G00431-3G-11	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	DRAWN BY: CLOUGH APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AW139
SCALE NTS	DATE 3-17-10
SHEET 4 of 5	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



RED BARN MACHINE	
TITLE JACKSCREW SET	
DWG NO. RBW6005G00431-3G-13	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	DRAWN BY: CLOUGH APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC USED ON MODEL AW139
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SCALE NTS DATE 3-17-10 SHEET 5 of 5